HindIII site of a pUC18 or pQE30 vector was used as a template. The concrete PCR conditions are preferably as follows: 16 cycles at 95 °C for 30 sec, 55 °C for 1 min, and 68 °C for 10 min.--

IN THE CLAIMS

Kindly cancel claims 10 and 15 without prejudice.

Please consider the following amended claims:

- 9. (Twice Amended) DNA encoding a fluorescent protein comprising the amino acid sequence set forth in SEQ ID No. 1, said sequence consisting of the three mutations Phe64Leu, Val163Ala and Ser175Gly.
- 12. (Twice Amended) DNA encoding a fluorescent protein comprising the amino acid sequence set forth in SEQ ID No. 1, said sequence consisting of the four mutations

 Tyr66His, Tyr145Phe, Phe64Leu and Leu236Arg.
- 14. (Twice Amended) DNA encoding a fluorescent protein comprising the amino

 C & acid sequence set forth in SEQ ID No. 1, said sequence consisting of the six mutations Tyr66His,

 Tyr145Phe, Phe64Leu, Val163Ala, Ser175Gly and Leu236Arg.
 - 17. (Amended) A method of visually analyzing gene expression or protein localization in a cell comprising the steps of:
 - (a) providing a cell transected with a vector comprising the DNA of any of claims 8 or 9;

- (b) culturing the cells under conditions to express a fluorescent protein encoded by the vector; and
 - (c) detecting the presence of the fluorescent protein.
 - 19. (Amended) A method of visually analyzing gene expression or protein localization in a cell comprising the steps of:
 - (a) providing a cell transected with a vector comprising the DNA of any of claims 11, 12, 13, 14 or 16;
 - (b) culturing the cells under conditions to express a fluorescent protein encoded by the vector; and
 - (c) detecting the presence of the fluorescent protein.